

David Trubridge



Coral

Coral (2002) is based on one of the geometric polyhedra that have interested David since he was a boy. The intricate form is made from just one single component repeated 60 times. Originally designed purely as an experiment, it only became a light later when David tried to find a use for it by putting a bulb inside. This was a pivotal moment. What followed was a whole new direction in exploring lighting structures made from minimal shell-like skins which also act as patterned shadow makers.



NATURAL


Coral



Kitset pendant light
Design: 2002


Bamboo plywood
Nylon fixings, (1600mm dia : aluminium rivets)

OPTIONS



Natural

Caramel



Aqua
1 side


Pink (Salmon)
1 side

Lime
1 side

Orange
1 side

Red
1 side

Yellow
1 side



White
1 side

White
2 sides

Black Stain
All surfaces

	400 (16")	600 (24")	800 (31")	1000 (39")	1200 (47")	1600 (63")
	400mm(dia)	600mm(dia)	800mm(dia)	1000mm(dia)	1200mm(dia)	1600mm(dia)
	E14 Max 60 w	E27 (E26 USA only) Max 60 w	E27 (E26 USA only) Max 60 w	E27 (E26 USA only) Max 60 w	E27 (E26 USA only) Max 60 w	E27 (E26 USA only) Max 60 w
	0.4kg	1kg	1.5kg	2.3kg	3.8kg	9kg
	2m	2m	2m	2m	5m	5m
	0.8kg 290 x 165 x 75 0.004m ³	1.2kg 360 x 250 x 85 0.008m ³	2.0kg 360 x 250 x 130 0.012m ³	3.5kg 365 x 320 x 140 0.016m ³	10kg 450 x 390 x 155 0.027m ³	15kg 615 x 530 x 200 0.065m ³


CARE INSTRUCTIONS

All wooden and/or polycarbonate lights are intended for use in dry interior conditions only and can be cleaned with a soft cloth dampened in warm soapy water when the light is switched off.

WARRANTY


This light is warranted for three years from date of purchase for failure of parts.

400 (16")




E14

600 (24")
800 (31")
1000 (39")




E27 (E26 USA)

1200 (47")
1600 (63")




E27 (E26 USA)

LAMP/BULB HANGING GUIDE



David Trubridge

PENDANT
SERIES



This luminaire is compatible with bulbs of the energy classes:

A+


A

B

C

D

E



874/2012

